



Holistic International Testing Services

Test Report

Sample ID : 2019003939 Issue Date: 06-11-2019 Report No: 3939R

Customer Details :

Customer	- EAST RAY TRADING LLC	Origin	- TAJIKSTAN
Address	- SHARJAH, UAE	Brand	- NA
Sample Name	- FLOWERS HONEY	Temperature	- 22.9°C
Sample Desc.	- HONEY	Wts/volume	- NA
Cust Rep	- MR. ZAID	No. of Units	- 1
Email	- zaidalmood@yahoo.com	Recd Date	- 28/10/2019
Mobile	- 0525621277	Prod Date	- NA
Phone	- NA	Expiry Date	- NA
Lot No	- NA	Sampled By	- CUSTOMER
Packing Type	- GLASS BOTTLE	Test Completion	- 6/11/2019
Phys. Cond	- WELL CLOSED CONDITION		
Form	- LIQUID		
Start Date	- 28/10/2019		



No	Parameter	Test Method	Allowed Limit	Unit	LOD	LOQ	MU	Result	Instrument
FOOD PRODUCTS									
1	ALCOHOL	HITS-20-013	NA	%	NA	0.0075	NA	<0.0075	GC-FID
	HONEY GSO 147:2017-Ref Limit								
2	CONDUCTIVITY*	HITS-20-185	0.8	mS/cm	NA	NA	NA	0.0029	CONDUCTIVITY METER
3	Diastase Activity*	Megazyme-T-AMZHY 05/14	>8	Schade units/gm	NA	NA	NA	14.22	UV-Vis Spectrophotometer
4	Fructose: Glucose Ratio*	HITS-20-151	>1	%	NA	NA	NA	1.19	Titration
5	Hydroxy Methylfurfural	GSO 122:1990	<80	ppm	NA	NA	±0.03	2.11	UV-Vis Spectrophotometer
6	Moisture*	HITS-20-166	<20	%	NA	NA	NA	17.29	Oven
7	Reducing Sugars*	HITS-20-151	>60	%	NA	NA	NA	76.53	Titration
8	Sucrose Content	HITS-20-151	<5	%	NA	NA	NA	0.79	CALCULATION
9	TOTAL SUGARS	HITS-20-151	NA	%	NA	NA	±3.42	77.36	Titration
MICROBIOLOGY GSO 1016:2015 - REF LIMIT									
10	ENUMERATION OF TOTAL YEAST AND MOULD	US FDA BAM Chapter 18 - 2001, (Spread plate method)	1000	cfu/g	NA	NA	NA	<10	SPREAD PLATE
11	PRESUMPTIVE SULPHITE REDUCING CLOSTRIDIUM*	CCFRA 2.8.1:2007	1000	cfu/g	NA	NA	NA	<10	Plating
TOXIC METALS									
12	ARSENIC	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
13	CADMIUM	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
14	LEAD	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
15	MERCURY	HITS-20-081	NA	ppm	NA	0.10	NA	<0.10	ICP-OES



Holistic International Testing Services

Test Report

Sample ID : 2019003939 Issue Date: 06-11-2019 Report No: 3939R

Remarks : "no symbol": Accredited, '*': Not Accredited, NA-Not Applicable, LOQ-Limit of Quantification, NTU-Nephelometric Turbidity Unit, LOD- Limit of Detection, MU- Measurement Uncertainty, CFU- Colony Forming Units, PPM- Parts Per Million, PPB- Parts Per Billion, '**' :Subcontracted, '****' : Subcontracted Lab comply ISO17025
Note: Customer Name has been Changed. This is Supplement to Test Report No: 3939.



Results approved By : *For D. SP/06.11.2019*

Mr. Govindarao Ampolu
Quality Manager
Holistic International Testing Services



These results apply only to the sample(s) submitted and received by the lab, and not to the product from which it was taken. This test report shall not be reproduced except in full, without written approval from Holistic International Testing Services.

.....End of Test Report.....



Holistic International Testing Services

Test Report

Sample ID : 2019003940 Issue Date: 06-11-2019 Report No: 3940R

Customer Details :

<p>Customer - EAST RAY TRADING LLC Address - SHARJAH, UAE Sample Name - WILD FLOWERS HONEY Sample Desc. - HONEY Cust Rep - MR. ZAID Email - zaidalhmood@yahoo.com Mobile - 0525621277 Phone - NA Lot No - NA Packing Type - GLASS BOTTLE Phys. Cond - WELL CLOSED CONDITION Form - LIQUID Start Date - 28/10/2019</p>	<p>Origin - TAJIKSTAN Brand - NA Temperature - 22.9°C Wts/volume - NA No. of Units - 1 Recd Date - 28/10/2019 Prod Date - NA Expiry Date - NA Sampled By - CUSTOMER Test Completion - 6/11/2019</p>
---	--



No	Parameter	Test Method	Allowed Limit	Unit	LOD	LOQ	MU	Result	Instrument
FOOD PRODUCTS									
1	ALCOHOL	HITS-20-013	NA	%	NA	0.0075	NA	<0.0075	GC-FID
	HONEY GSO 147:2017-Ref Limit								
2	CONDUCTIVITY*	HITS-20-185	0.8	mS/cm	NA	NA	NA	0.0026	CONDUCTIVITY METER
3	Diastase Activity*	Megazyme-T-AMZHY 05/14	>8	Schade units/gm	NA	NA	NA	13.96	UV-Vis Spectrophotometer
4	Fructose: Glucose Ratio*	HITS-20-151	>1	%	NA	NA	NA	1.12	Titration
5	Hydroxy Methylfurfural	GSO 122:1990	<80	ppm	NA	NA	±0.58	37.06	UV-Vis Spectrophotometer
6	Moisture*	HITS-20-166	<20	%	NA	NA	NA	15.67	Oven
7	Reducing Sugars*	HITS-20-151	>60	%	NA	NA	NA	75.20	Titration
8	Sucrose Content	HITS-20-151	<5	%	NA	NA	NA	0.78	CALCULATION
9	TOTAL SUGARS	HITS-20-151	NA	%	NA	NA	±3.36	76.02	Titration
MICROBIOLOGY GSO 1016:2015 - REF LIMIT									
10	ENUMERATION OF TOTAL YEAST AND MOULD	US FDA BAM Chapter 18 - 2001, (Spread plate method)	1000	cfu/g	NA	NA	NA	<10	SPREAD PLATE
11	PRESUMPTIVE SULPHITE REDUCING CLOSTRIDIUM*	CCFRA 2.8.1:2007	1000	cfu/g	NA	NA	NA	<10	Plating
TOXIC METALS									
12	ARSENIC	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
13	CADMIUM	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
14	LEAD	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
15	MERCURY	HITS-20-081	NA	ppm	NA	0.10	NA	<0.10	ICP-OES



Holistic International Testing Services

Test Report

Sample ID : 2019003940

Issue Date: 06-11-2019

Report No: 3940R

Remarks : "no symbol": Accredited, '*': Not Accredited, NA-Not Applicable, LOQ-Limit of Quantification, NTU-Nephelometric Turbidity Unit, LOD- Limit of Detection, MU- Measurement Uncertainty, CFU- Colony Forming Units, PPM- Parts Per Million, PPB- Parts Per Billion, '**' :Subcontracted, '***' : Subcontracted Lab comply ISO17025
Note: Customer Name has been Changed. This is Supplement to Test Report No: 3940.

Results approved By : *For p. AP/06.11.2019*

Mr. Govindarao Ampolu
Quality Manager
Holistic International Testing Services



These results apply only to the sample(s) submitted and received by the lab, and not to the product from which it was taken. This test report shall not be reproduced except in full, without written approval from Holistic International Testing Services.

.....End of Test Report.....



Holistic International Testing Services

Test Report

Sample ID : 2019003941 Issue Date: 06-11-2019 Report No: 3941R

Customer Details :

Customer	- EAST RAY TRADING LLC	Origin	- TAJIKSTAN
Address	- SHARJAH, UAE	Brand	- NA
Sample Name	- MOUNTAIN FLOWERS HONEY	Temperature	- 22.9°C
Sample Desc.	- HONEY	Wts/volume	- NA
Cust Rep	- MR. ZAID	No. of Units	- 1
Email	- zaidalhmoood@yahoo.com	Recd Date	- 28/10/2019
Mobile	- 0525621277	Prod Date	- NA
Phone	- NA	Expiry Date	- NA
Lot No	- NA	Sampled By	- CUSTOMER
Packing Type	- GLASS BOTTLE	Test Completion	- 6/11/2019
Phys. Cond	- WELL CLOSED CONDITION		
Form	- LIQUID		
Start Date	- 28/10/2019		



No	Parameter	Test Method	Allowed Limit	Unit	LOD	LOQ	MU	Result	Instrument
FOOD PRODUCTS									
1	ALCOHOL	HITS-20-013	NA	%	NA	0.0075	NA	<0.0075	GC-FID
	HONEY GSO 147:2017-Ref Limit								
2	CONDUCTIVITY*	HITS-20-185	0.8	mS/cm	NA	NA	NA	0.0026	CONDUCTIVITY METER
3	Diastase Activity*	Megazyme-T-AMZHY 05/14	>8	Schade units/gm	NA	NA	NA	14.96	UV-Vis Spectrophotometer
4	Fructose: Glucose Ratio*	HITS-20-151	>1	%	NA	NA	NA	1.21	Titration
5	Hydroxy Methylfurfural	GSO 122:1990	<80	ppm	NA	NA	±0.22	14.02	UV-Vis Spectrophotometer
6	Moisture*	HITS-20-166	<20	%	NA	NA	NA	13.65	Oven
7	Reducing Sugars*	HITS-20-151	>60	%	NA	NA	NA	78.17	Titration
8	Sucrose Content	HITS-20-151	<5	%	NA	NA	NA	Absent	CALCULATION
9	TOTAL SUGARS	HITS-20-151	NA	%	NA	NA	±3.46	78.17	Titration
MICROBIOLOGY GSO 1016:2015 - REF LIMIT									
10	ENUMERATION OF TOTAL YEAST AND MOULD	US FDA BAM Chapter 18 - 2001, (Spread plate method)	1000	cfu/g	NA	NA	NA	<10	SPREAD PLATE
11	PRESUMPTIVE SULPHITE REDUCING CLOSTRIDIUM*	CCFRA 2.8.1:2007	1000	cfu/g	NA	NA	NA	<10	Plating
TOXIC METALS									
12	ARSENIC	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
13	CADMIUM	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
14	LEAD	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
15	MERCURY	HITS-20-081	NA	ppm	NA	0.10	NA	<0.10	ICP-OES



Holistic International Testing Services

Test Report

Sample ID : 2019003941

Issue Date: 06-11-2019

Report No: 3941R

Remarks : "no symbol": Accredited, '*': Not Accredited, NA-Not Applicable, LOQ-Limit of Quantification, NTU-Nephelometric Turbidity Unit, LOD- Limit of Detection, MU- Measurement Uncertainty, CFU- Colony Forming Units, PPM- Parts Per Million, PPB- Parts Per Billion, '**' :Subcontracted, '***' : Subcontracted Lab comply ISO17025
Note: Customer Name has been Changed. This is Supplement to Test Report No: 3941.

Results approved By : For D. AD/06.11.2019

Mr.Govindarao Ampolu
Quality Manager
Holistic International Testing Services



NAL 091
17025

These results apply only to the sample(s) submitted and received by the lab, and not to the product from which it was taken. This test report shall not be reproduced except in full, without written approval from Holistic International Testing Services.

.....End of Test Report.....



Holistic International Testing Services

Test Report

Sample ID : 2019003942 Issue Date: 06-11-2019 Report No: 3942R

Customer Details :

Customer - EAST RAY TRADING LLC	Origin - TAJIKSTAN
Address - SHARJAH, UAE	Brand - NA
Sample Name - BLACK HONEY	Temperature - 22.9°C
Sample Desc. - HONEY	Wts/volume - NA
Cust Rep - MR. ZAID	No. of Units - 1
Email - zaidalhmoood@yahoo.com	Recd Date - 28/10/2019
Mobile - 0525621277	Prod Date - NA
Phone - NA	Expiry Date - NA
Lot No - NA	Sampled By - CUSTOMER
Packing Type - GLASS BOTTLE	Test Completion - 6/11/2019
Phys. Cond - WELL CLOSED CONDITION	
Form - LIQUID	
Start Date - 28/10/2019	



No	Parameter	Test Method	Allowed Limit	Unit	LOD	LOQ	MU	Result	Instrument
FOOD PRODUCTS									
1	ALCOHOL	HITS-20-013	NA	%	NA	0.0075	NA	<0.0075	GC-FID
	HONEY GSO 147:2017-Ref Limit								
2	CONDUCTIVITY*	HITS-20-185	0.8	mS/cm	NA	NA	NA	0.0034	CONDUCTIVITY METER
3	Diastase Activity*	Megazyme-T-AMZHY 05/14	>8	Schade units/gm	NA	NA	NA	15.22	UV-Vis Spectrophotometer
4	Fructose: Glucose Ratio*	HITS-20-151	>1	%	NA	NA	NA	1.09	Titration
5	Hydroxy Methylfurfural	GSO 122:1990	<80	ppm	NA	NA	±0.79	50.11	UV-Vis Spectrophotometer
6	Moisture*	HITS-20-166	<20	%	NA	NA	NA	16.30	Oven
7	Reducing Sugars*	HITS-20-151	>60	%	NA	NA	NA	76.50	Titration
8	Sucrose Content	HITS-20-151	<5	%	NA	NA	NA	0.27	CALCULATION
9	TOTAL SUGARS	HITS-20-151	NA	%	NA	NA	±3.39	76.78	Titration
MICROBIOLOGY GSO 1016:2015 - REF LIMIT									
10	ENUMERATION OF TOTAL YEAST AND MOULD	US FDA BAM Chapter 18 - 2001, (Spread plate method)	1000	cfu/g	NA	NA	NA	<10	SPREAD PLATE
11	PRESUMPTIVE SULPHITE REDUCING CLOSTRIDIUM*	CCFRA 2.8.1:2007	1000	cfu/g	NA	NA	NA	<10	Plating
TOXIC METALS									
12	ARSENIC	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
13	CADMIUM	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
14	LEAD	HITS-20-025	NA	ppm	NA	0.50	NA	<0.50	ICP-OES
15	MERCURY	HITS-20-081	NA	ppm	NA	0.10	NA	<0.10	ICP-OES



Holistic International Testing Services

Test Report

Sample ID : 2019003942

Issue Date: 06-11-2019

Report No: 3942R

Remarks : "no symbol": Accredited, '*': Not Accredited, NA-Not Applicable, LOQ-Limit of Quantification, NTU-Nephelometric Turbidity Unit, LOD- Limit of Detection, MU- Measurement Uncertainty, CFU- Colony Forming Units, PPM- Parts Per Million, PPB- Parts Per Billion, '**' :Subcontracted, '***' : Subcontracted Lab comply ISO17025
Note: Customer Name has been Changed. This is Supplement to Test Report No: 3942.

Results approved By : *For P. AP/06.11.2019*

Mr. Govindarao Ampolu
Quality Manager
Holistic International Testing Services



NAL 091
17025

These results apply only to the sample(s) submitted and received by the lab, and not to the product from which it was taken. This test report shall not be reproduced except in full, without written approval from Holistic International Testing Services.

.....End of Test Report.....